

# GPW Bond Strap details

## SNL #1 & 2 Cowl to Hood (two)

Length ~4 inches, Ends  $\frac{3}{4}$  x  $\frac{3}{4}$  . Drilled for  $\frac{1}{4}$  inch mounting.

### **Hardware.**

4 x  $\frac{1}{4}$  in Loch washer (Int/Ext);

4 x Lock washer, 4 x flat Washer ID  $\frac{1}{4}$  OD  $\frac{3}{4}$

## SNL #3 Cylinder Head to Firewall

Length ~9 inches, Ends 1 x 1. Drilled for  $\frac{7}{16}$ <sup>th</sup> and  $\frac{5}{16}$ <sup>th</sup> inch mounting.

### **Hardware.**

1 x  $\frac{7}{16}$ <sup>th</sup> Loch washer (Ext);

1 x Head Stud Nut

1 x  $\frac{5}{16}$ <sup>th</sup> Flat Washer

1  $\frac{5}{16}$ <sup>th</sup> Lock Washer

## SNL #4 Temp Gauge, Speedo, Emergency/Parking Brake to Firewall

Length ~8 inches, Ends  $\frac{3}{4}$  x  $\frac{3}{4}$  . Drilled for  $\frac{5}{16}$ <sup>th</sup> inch mounting. Soldered at 2 inches and 3  $\frac{3}{4}$  inches. Clamp holes drilled

### **Hardware.**

1 x  $\frac{1}{4}$  inch Cable Clamp

1 x  $\frac{3}{16}$ <sup>th</sup> inch cable clamp

Mounting hardware is 2 x 10-24NC x  $\frac{1}{2}$  inch Round head Machine Screw, 2 x #10 lock washers, 2 x #10 flat washers, 2 x #10-24NC Hex Nuts.

## SNL #5 Fuel Line to Firewall

Length ~5 inches, One End  $\frac{3}{4}$  x  $\frac{3}{4}$ , the other end is tinned . Drilled for  $\frac{5}{16}$ <sup>th</sup> inch mounting. Clamp holes drilled at the tinned end.

### **Hardware.**

1 x  $\frac{1}{4}$  inch cable clamp

Mounting hardware is 1 x 10-24NC x  $\frac{1}{2}$  inch Round head Machine Screw, 1 x #10 lock washer, 1 x #10 flat washer, 1 x #10-24NC Hex Nut.

### **SNL #6 Choke and Throttle Cables and Oil Tube to Firewall**

Length ~5 ½ inches, Both ends are tinned, and the centre is tinned at 2 ¾ inches . Centre is drilled for 5/16<sup>th</sup> inch mounting.

#### ***Hardware.***

1 x ¼ inch Cable Clamp

1 x 3/16<sup>th</sup> inch cable clamp

Mounting hardware is 2 x 10-24NC x ½ inch Round head Machine Screw, 2 x #10 lock washers, 2 x #10 flat washers, 2 x #10-24NC Hex Nuts

Centre mounting hardware is 1 x 5/16<sup>th</sup> flat Washer, 1 x 5/16<sup>th</sup> Lock Washer, 1 x 5/16<sup>th</sup> Nut

### **SNL #7 Generator Mounting Bolt to Starter Bracket**

Length ~5 inches, Ends 1 x 1 . Drilled for 3/8<sup>th</sup> inch mounting. Supplied with 1 x 5/16 Int/Ext Lock Washer, and 1 x 3/8 Int/Ext Lock Washer. ??

### **SNL #8 Volt Regulator to Generator**

Length ~10 inches, terminated onto 3/16<sup>th</sup> ID round lugs

### **SNL #9 Ignition Coil to Engine Block**

Length ~5 inches, One End ¾ x ¾, the other end is tinned . Terminated end is drilled for 3/8<sup>th</sup> (should be ¼) inch mounting. Tinned end is drilled for ¼ inch mounting.

### **SNL #10 Engine Front Plate to Right Bracket**

Length ~7 ½ inches, Ends 1 x 1 . Drilled for 3/8<sup>th</sup> inch mounting.

### **SNL #11 Engine Front Plate to Left Bracket**

Length ~6 inches, Ends 1 x 1 . Drilled for 3/8<sup>th</sup> inch mounting.

### **SNL #14 Radiator to the Crossmember (Two)**

Length ~5 1/4 inches, Ends 1 x 1 . Drilled for 3/8<sup>th</sup> and 5/16<sup>th</sup> inch mountings.

#### ***Hardware.***

2 x 3/8<sup>th</sup> Int/Ext lock washers

2 x 5/16<sup>th</sup> Int/Ext lock washers

### **SNL #15 Engine Rear Support (isolator) to Centre Cross-member**

Length ~4 ¼ inches, Ends 3/4 x 3/4 . Drilled for 3/8<sup>th</sup> and 5/16<sup>th</sup> inch mountings. Could be a bit longer and it would be easier to fit.w

### **SNL #16 Transfer Case to Body Floor Stud**

Length ~6 1/4 inches, Ends ¾ x ¾ . Drilled for 3/8<sup>th</sup> and 5/16<sup>th</sup> inch mountings.

### **SNL #21 & 22 Hood to Grille**

Length ~2 1/8<sup>th</sup> inches x ½ inch wide, Ends tinned and drilled for 3/16<sup>th</sup> inch mounting.

#### ***Hardware.***

Mounting hardware is 2 x 10-32NF x ½ inch Binding head Machine Screw, 2 x #10 lock washers, 2 x #10 flat washers, 2 x #10-32NF Hex Nuts

### **SNL #23 Radio Terminal Box to Frame**

Length ~16 inches, Ends terminated with 9/16<sup>th</sup> wide lugs. . Drilled for 3/8<sup>th</sup> and 5/16<sup>th</sup> inch mountings.

#### ***Hardware.***

4 x 3/8<sup>th</sup> Int/Ext lock washers

### **SNL #24 Radio Terminal Box (terminal) to Floor**

Length ~4 inches, Ends ¾ x ¾ . Drilled for 3/8<sup>th</sup> and 5/16<sup>th</sup> inch mounting.